



Trade name: BseDI

**#ER1081**

**#ER1082**

**Both supplied with:**  
10x Buffer Tango™

**MATERIAL SAFETY DATA SHEET**  
*Prepared in accordance with ISO 11014-1 Standard*

Printed: 12/09/2006

Revised: 12/09/2006

### 1 Product and company identification

- **Product details**
- **Trade name:** *BseDI*
- **Application of the substance / the preparation:** *Laboratory chemicals*
- **Manufacturer/Supplier:**  
*Fermentas UAB*  
*V.Graiciuno 8*  
*LT-02241 Vilnius*  
*Lithuania*  
*Tel.: +370 5 2602131*  
*Fax.: +370 5 2602142*
- **Further information obtainable from:**  
*Please visit our site: <http://www.fermentas.com/>*  
*Contact us: [info@fermentas.com](mailto:info@fermentas.com)*  
*Or contact Fermentas distributor in your country.*
- **Emergency information:**  
*For Chemical Emergency (Spill, Leak, Fire, Exposure or Accident),*  
*Call CHEMTREC Day or Night*  
*Domestic North America: 1-800-424-9300*  
*International: 1-703-527-3887 (collect calls accepted)*

### 2 Composition/Information on ingredients

- **Chemical characterization**
- **Description:** *Solution, consisting of the following components.*

· **Components:**

56-81-5	glycerol	>50%
7732-18-5	water	25-50%

· **Other components:**

*Components not listed here are not hazardous or their concentrations do not exceed the limits specified in the OSHA Hazard Communication Standard 29 CFR 1910.1200.*

### 3 Hazards identification

- **Hazard description:** *Not applicable.*
- **Information pertaining to particular dangers for man and environment:**  
*The product does not have to be labelled due to the calculation procedure of international guidelines.*
- **Classification system:**  
*The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.*

(Contd. on page 2)

# MATERIAL SAFETY DATA SHEET


Prepared in accordance with ISO 11014-1 Standard

Printed: 12/09/2006

Revised: 12/09/2006

Trade name: BseDI

(Contd. of page 1)

· **NFPA ratings (scale 0 - 4)**

Health = 0  
Fire = 0  
Reactivity = 0

· **HMIS-ratings (scale 0 - 4)**

HEALTH 0 Health = 0  
FIRE 0 Fire = 0  
REACTIVITY 0 Reactivity = 0

## 4 First aid measures

- **General information:** No special measures required.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.

## 5 Fire fighting measures

- **Suitable extinguishing agents:**  
CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Protective equipment:** No special measures required.

## 6 Accidental release measures

- **Person-related safety precautions:** Not required.
- **Measures for environmental protection:**  
Dilute with plenty of water.  
Do not allow to enter sewers/ surface or ground water.
- **Measures for cleaning/collecting:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Additional information:** No dangerous substances are released.

## 7 Handling and storage

- **Handling:**
- **Information for safe handling:** No special measures required.
- **Information about protection against explosions and fires:** No special measures required.
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.

USA

(Contd. on page 3)

# MATERIAL SAFETY DATA SHEET

Prepared in accordance with ISO 11014-1 Standard

Printed: 12/09/2006

Revised: 12/09/2006

Trade name: **BseDI**

(Contd. of page 2)

## 8 Exposure controls and personal protection

· **Additional information about design of technical systems:** No further data; see item 7.

· **Components with limit values that require monitoring at the workplace:**

### 56-81-5 glycerol

PEL	15* 5** mg/m <sup>3</sup> *total dust **respirable fraction
TLV	10 ppm

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Personal protective equipment:**

· **General protective and hygienic measures:**

The usual precautionary measures for handling chemicals should be followed.

· **Breathing equipment:** Not required.

· **Protection of hands:**

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:** Goggles recommended during refilling.

## 9 Physical and chemical properties

· **General Information**

<b>Form:</b>	Solution
<b>Color:</b>	Colorless
<b>Odor:</b>	Nearly odorless

· **Change in condition**

**Melting point/Melting range:** Undetermined.

**Boiling point/Boiling range:** Undetermined.

· **Flash point:** Not applicable.

· **Auto igniting:** Product is not selfigniting.

· **Danger of explosion:** Product does not present an explosion hazard.

· **Density at 20°C (68°F):** 1.16 g/cm<sup>3</sup>

· **Solubility in / Miscibility with**

**Water:** Fully miscible.

(Contd. on page 4)

USA

# MATERIAL SAFETY DATA SHEET

Prepared in accordance with ISO 11014-1 Standard

Printed: 12/09/2006

Revised: 12/09/2006

Trade name: BseDI

(Contd. of page 3)

· **pH-value at 25°C (77°F):** 7.5

## 10 Stability and reactivity

- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **Dangerous reactions:** No dangerous reactions known.
- **Dangerous products of decomposition:** No dangerous decomposition products known.

## 11 Toxicological information

- **Acute toxicity:**
- **Primary irritant effect:**
  - **on the skin:** No irritant effect.
  - **on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**  
The product is not subject to classification according to internally approved calculation methods for preparations:  
When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

## 12 Ecological information

- **General notes:**  
Water hazard class 1 (Self-assessment): slightly hazardous for water.  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

## 13 Disposal considerations

- **Product:**
- **Recommendation:** Smaller quantities can be disposed of with household waste.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

## 14 Transport information

- **DOT regulations:**
- **Hazard class:** -
- **Land transport ADR/RID (cross-border):**
- **ADR/RID class:** -
- **Maritime transport IMDG:**
- **IMDG Class:** -
- **Marine pollutant:** No

(Contd. on page 5)

USA

# MATERIAL SAFETY DATA SHEET

Prepared in accordance with ISO 11014-1 Standard

Printed: 12/09/2006

Revised: 12/09/2006

Trade name: **BseDI**

(Contd. of page 4)

- **Air transport ICAO-TI and IATA-DGR:**
- **ICAO/IATA Class:** -

## 15 Regulations

- **Sara**

- **Section 355 (extremely hazardous substances):**

- None of the ingredients is listed.

- **Section 313 (Specific toxic chemical listings):**

- None of the ingredients is listed.

- **TSCA (Toxic Substances Control Act):**

- All ingredients are listed.

- **Proposition 65**

- **Chemicals known to cause cancer:**

- None of the ingredients is listed.

- **Chemicals known to cause reproductive toxicity for females:**

- None of the ingredients is listed.

- **Chemicals known to cause reproductive toxicity for males:**

- None of the ingredients is listed.

- **Chemicals known to cause developmental toxicity:**

- None of the ingredients is listed.

- **Carcinogen categories**

- **EPA (Environmental Protection Agency)**

- None of the ingredients is listed.

- **IARC (International Agency for Research on Cancer)**

- None of the ingredients is listed.

- **NTP (National Toxicology Program)**

- None of the ingredients is listed.

- **TLV (Threshold Limit Value established by ACGIH)**

- None of the ingredients is listed.

- **NIOSH-Ca (National Institute for Occupational Safety and Health)**

- None of the ingredients is listed.

- **OSHA-Ca (Occupational Safety & Health Administration)**

- None of the ingredients is listed.

- **Product related hazard information:**

- Observe the general safety regulations when handling chemicals.

- The product is not subject to identification regulations according to directives on hazardous materials.

USA

(Contd. on page 6)

**MATERIAL SAFETY DATA SHEET**  
**Prepared in accordance with ISO 11014-1 Standard**

Printed: 12/09/2006

Revised: 12/09/2006

**Trade name: BseDI**

(Contd. of page 5)

**16 Other information**

*This information is based on our present knowledge and shall be used only as a guide. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. Fermentas is not held liable for any damage resulting from handling or from contact with the above mentioned products.*

*MSDS has been prepared in accordance with ISO 11014-1 Standard and OSHA Hazard Communication Standard 29 CFR 1910.1200.*

USA

**MATERIAL SAFETY DATA SHEET**  
*Prepared in accordance with ISO 11014-1 Standard*

Printed: 12/09/2006

Revised: 11/20/2006

### 1 Product and company identification

- **Product details**
- **Trade name:** 10x Buffer Tango™
- **Application of the substance / the preparation:** Laboratory chemicals
- **Manufacturer/Supplier:**  
Fermentas UAB  
V.Graiciuno 8  
LT-02241 Vilnius  
Lithuania  
Tel.: +370 5 2602131  
Fax.: +370 5 2602142
- **Further information obtainable from:**  
Please visit our site: <http://www.fermentas.com/>  
Contact us: [info@fermentas.com](mailto:info@fermentas.com)  
Or contact Fermentas distributor in your country.
- **Emergency information:**  
For Chemical Emergency (Spill, Leak, Fire, Exposure or Accident),  
Call CHEMTREC Day or Night  
Domestic North America: 1-800-424-9300  
International: 1-703-527-3887 (collect calls accepted)

### 2 Composition/Information on ingredients

- **Chemical characterization**
- **Description:** Solution, consisting of the following components.

· **Components:**

7732-18-5	water	>50%
127-08-2	potassium acetate	2.5-10%
6850-28-8	[2-hydroxy-1,1-bis(hydroxymethyl)ethyl]ammonium acetate	2.5-10%
142-72-3	magnesium di(acetate)	1-2.5%

· **Other components:**

Components not listed here are not hazardous or their concentrations do not exceed the limits specified in the OSHA Hazard Communication Standard 29 CFR 1910.1200.

### 3 Hazards identification

- **Hazard description:** Not applicable.
- **Information pertaining to particular dangers for man and environment:**  
The product does not have to be labelled due to the calculation procedure of international guidelines.
- **Classification system:**  
The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.

(Contd. on page 2)



# MATERIAL SAFETY DATA SHEET


Prepared in accordance with ISO 11014-1 Standard

Printed: 12/09/2006

Revised: 11/20/2006

Trade name: 10x Buffer Tango™

(Contd. of page 1)

· **NFPA ratings (scale 0 - 4)**

Health = 0  
Fire = 0  
Reactivity = 0

· **HMIS-ratings (scale 0 - 4)**

HEALTH 0 Health = 0  
FIRE 0 Fire = 0  
REACTIVITY 0 Reactivity = 0

## 4 First aid measures

- **General information:** No special measures required.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.

## 5 Fire fighting measures

- **Suitable extinguishing agents:**  
CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Protective equipment:** No special measures required.

## 6 Accidental release measures

- **Person-related safety precautions:** Not required.
- **Measures for environmental protection:**  
Dilute with plenty of water.  
Do not allow to enter sewers/ surface or ground water.
- **Measures for cleaning/collecting:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Additional information:** No dangerous substances are released.

## 7 Handling and storage

- **Handling:**
- **Information for safe handling:** No special measures required.
- **Information about protection against explosions and fires:** No special measures required.
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.

USA

(Contd. on page 3)

# MATERIAL SAFETY DATA SHEET

Prepared in accordance with ISO 11014-1 Standard

Printed: 12/09/2006

Revised: 11/20/2006

Trade name: 10x Buffer Tango™

(Contd. of page 2)

## 8 Exposure controls and personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Components with limit values that require monitoring at the workplace:**  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists that were valid during the creation were used as basis.
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
The usual precautionary measures for handling chemicals should be followed.
- **Breathing equipment:** Not required.
- **Protection of hands:**  
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves**  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**  
The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Goggles recommended during refilling.

## 9 Physical and chemical properties

### · General Information

<b>Form:</b>	Solution
<b>Color:</b>	Colorless
<b>Odor:</b>	Odorless

### · Change in condition

**Melting point/Melting range:** Undetermined.  
**Boiling point/Boiling range:** Undetermined.

· **Flash point:** Not applicable.

· **Auto igniting:** Product is not selfigniting.

· **Danger of explosion:** Product does not present an explosion hazard.

· **Density at 20°C (68°F):** 1.05 g/cm<sup>3</sup>

· **Solubility in / Miscibility with Water:** Fully miscible.

· **pH-value at 37°C (99°F):** 7.9

—USA

(Contd. on page 4)

# MATERIAL SAFETY DATA SHEET

Prepared in accordance with ISO 11014-1 Standard

Printed: 12/09/2006

Revised: 11/20/2006

Trade name: 10x Buffer Tango™

(Contd. of page 3)

## 10 Stability and reactivity

- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **Dangerous reactions:** No dangerous reactions known.
- **Dangerous products of decomposition:** No dangerous decomposition products known.

## 11 Toxicological information

- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**  
The product is not subject to classification according to internally approved calculation methods for preparations:  
When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

## 12 Ecological information

- **General notes:**  
Water hazard class 1 (Self-assessment): slightly hazardous for water.  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

## 13 Disposal considerations

- **Product:**
- **Recommendation:** Smaller quantities can be disposed of with household waste.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

## 14 Transport information

- **DOT regulations:**
- **Hazard class:** -
- **Land transport ADR/RID (cross-border):**
- **ADR/RID class:** -
- **Maritime transport IMDG:**
- **IMDG Class:** -
- **Marine pollutant:** No
- **Air transport ICAO-TI and IATA-DGR:**
- **ICAO/IATA Class:** -

USA

(Contd. on page 5)

# MATERIAL SAFETY DATA SHEET

Prepared in accordance with ISO 11014-1 Standard

Printed: 12/09/2006

Revised: 11/20/2006

Trade name: 10x Buffer Tango™

(Contd. of page 4)

## 15 Regulations

- **Sara**

- **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

- **Section 313 (Specific toxic chemical listings):**

None of the ingredients is listed.

- **TSCA (Toxic Substances Control Act):**

All ingredients are listed.

- **Proposition 65**

- **Chemicals known to cause cancer:**

None of the ingredients is listed.

- **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

- **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

- **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

- **Carcinogen categories**

- **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

- **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

- **TLV (Threshold Limit Value established by ACGIH)**

None of the ingredients is listed.

- **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

- **Product related hazard information:**

Observe the general safety regulations when handling chemicals.

The product is not subject to identification regulations according to directives on hazardous materials.

## 16 Other information

This information is based on our present knowledge and shall be used only as a guide. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. Fermentas is not held liable for any damage resulting from handling or from contact with the above mentioned products.

MSDS has been prepared in accordance with ISO 11014-1 Standard and OSHA Hazard Communication Standard 29 CFR 1910.1200.